Brain Research, 406 (1987) 408–410
Elsevier

Author Index

Aburada, M., see Sugaya, E., 270
Adams, R.N., see Moghaddam, B., 337
Aghajanian, G.K., see Kehne, J.H., 87
Aguayo, A.J., see Thanos S., 317
Aizenman, Y. and De Vellis, J., Brain neurons develop in a serum and glial free environment: effects of transferrin, insulin, insulin-like growth factor-I and thyroid hormone on neuronal survival, growth and differentiation, 32
Asou, H., see Sugaya, E., 270

Barnes, S. and Werblin, F., Direct excitatory and lateral inhibitory synaptic inputs to amacrine cells in the tiger salamander retina, 233
Beck, M.M., Brown-Borg, H.M. and Jones, T.A., Peripheral and brainstem auditory function in paroxysmal (*px*) White Leghorn chicks, 93
Benabid, A.L., see Mahieux, G., 118
Bol, J.G.J.M., see Wouterlood, F.G., 330
Bologa, L., see Roberts, E., 357
Boss, B.D., Turlejski, K., Stanfield, B.B. and Cowan, W.M., On the numbers of neurons in fields CA_1 and CA_3 of the hippocampus of Sprague–Dawley and Wistar rats, 280
Bronstein, D.M., Jacobs, G.H., Haak, K.A., Neitz, J. and Lytle, L.D., Action spectrum of the retinal mechanism mediating nocturnal light-induced suppression of rat pineal gland *N*-acetyltransferase, 352
Brown-Borg, H.M., see Beck, M.M., 93

Caprio, J., see Kanwal, J.S., 105
Carlson, D.E. and Gann, D.S., Responses of adrenocorticotropin and vasopressin to hemorrhage after lesions of the caudal ventrolateral medulla in rats, 385
Carrigan, D.R., see Fishman, P.S., 275
Carter, D.A. and Lightman, S.L., Modulation of oxytocin secretion by ascending noradrenergic pathways: sexual dimorphism in rats, 313
Cassella, J.V., see Kehne, J.H., 87
Cassidy, M., see Kowalski, M.M., 397
Castro, A.J., see Kosinski, R.J., 302
Chan, Y.S., Cheung, Y.M. and Hwang, J.C., Response characteristics of neurons in the cat vestibular nuclei during slow and constant velocity off-vertical axes rotations in the clockwise and counterclockwise rotations, 294
Cheung, Y.M., see Chan, Y.S., 294
Coggeshall, R.E., see Jenq, C.-B., 52
Cortés, R., see Reubi, J.C., 391
Cowan, W.M., see Boss, B.D., 280
Czudek, C., see Fine A., 326

Davis, J.L. and Pico, R.M., A tripeptide protease inhibitor attenuates conditioned avoidance behavior, 10
Davis, M., see Kehne, J.H., 87
Davison, J.S., see MacVicar, B.A., 130
De Quidt, M., see Fine, A., 326
De Vellis, J., see Aizenman, Y., 32
DeLong, M.R., see Kitt, C.A., 192
Di Fabio, R.P., lower extremity antagonist muscle response following standing perturbation in subjects with cerebrovascular disease, 43
Dluzen, D.E. and Ramirez, V.D., Intermittent infusion of progesterone potentiates whereas continuous infusion reduces amphetamine-stimulated dopamine release from ovariectomized estrogen-primed rat striatal fragments superfused in vitro, 1

Edmonds, B. and Koenig, E., Powering of bulk transport (varicosities) and differential sensitivities of directional transport in growing axons, 288

Fernandez, A., see Stevens, B.R., 113
Fernandez, B., see Tranque, P.A., 348
Fine, A., Pittaway, K., De Quidt, M., Czudek, C. and Reynolds, G.P., Maintenance of cortical somatostatin and monoamine levels in the rat does not require intact cholinergic innervation, 326
Fishman, P.S. and Carrigan, D.R., Retrograde transneuronal transfer of the C-fragment of tetanus toxin, 275
Flood, J.F., see Roberts, E., 357
Furui, T., see Yaksh, T.L., 207

Gann, D.S., see Carlson, D.E., 385
Garcia-Segura, L.M., see Tranque, P.A., 348
Go, V.L.W., see Yaksh, T.L., 207
Goldberg, D.J., see Savage, M.J., 215
Goto, Y., see Shimosegawa, T., 341
Guyenet, P.G. and Young, B.S., Projections of nucleus paragigantocellularis lateralis to locus coeruleus and other structures in rat, 171

Haak, K.A., see Bronstein, D.M., 352
Haga, C., see Uemura, T., 73
Hauser, K.F., MacLusky, N.J. and Toran-Allerand, C.D., Androgen action in fetal mouse spinal cord cultures: metabolic and morphologic aspects, 62
Hexum, T.D. and Russett, L.R., Plasma enkephalin-like peptide response to chronic nicotine infusion in guinea pig, 370
Hidaka, I., see Kanwal, J.S., 105
Hiller, J.M., Itzhak, Y. and Simon, E.J., Selective changes in μ, δ and κ opioid receptor binding in certain limbic regions of the brain in Alzheimer's disease patients, 17
Hirano, S., see Sugaya, E., 270
Hosoya, E., see Sugaya, E., 270
Hwang, J.C., see Chan, Y.S., 294

Iizuka, H., see Iwasaki, Y., 99
Iizuka, S., see Sugaya, E., 270
Inagaki, S., see Kubota, Y., 147
Ishige, A., see Sugaya, E., 270
Itoh, K., see Sugaya, E., 270
Itzhak, Y., see Hiller, J.M., 17
Iwasaki, Y., Yamamoto, H., Iizuka, H., Yamamoto, T. and Konno, H., Suppression of neurofilament degradation by protease inhibitors in experimental spinal cord injury, 99

Brain Research, 406 (1987) 408–410
Elsevier

Author Index

Aburada, M., see Sugaya, E., 270
Adams, R.N., see Moghaddam, B., 337
Aghajanian, G.K., see Kehne, J.H., 87
Aguayo, A.J., see Thanos S., 317
Aizenman, Y. and De Vellis, J., Brain neurons develop in a serum and glial free environment: effects of transferrin, insulin, insulin-like growth factor-I and thyroid hormone on neuronal survival, growth and differentiation, 32
Asou, H., see Sugaya, E., 270

Barnes, S. and Werblin, F., Direct excitatory and lateral inhibitory synaptic inputs to amacrine cells in the tiger salamander retina, 233
Beck, M.M., Brown-Borg, H.M. and Jones, T.A., Peripheral and brainstem auditory function in paroxysmal (*px*) White Leghorn chicks, 93
Benabid, A.L., see Mahieux, G., 118
Bol, J.G.J.M., see Wouterlood, F.G., 330
Bologa, L., see Roberts, E., 357
Boss, B.D., Turlejski, K., Stanfield, B.B. and Cowan, W.M., On the numbers of neurons in fields CA_1 and CA_3 of the hippocampus of Sprague–Dawley and Wistar rats, 280
Bronstein, D.M., Jacobs, G.H., Haak, K.A., Neitz, J. and Lytle, L.D., Action spectrum of the retinal mechanism mediating nocturnal light-induced suppression of rat pineal gland *N*-acetyltransferase, 352
Brown-Borg, H.M., see Beck, M.M., 93

Caprio, J., see Kanwal, J.S., 105
Carlson, D.E. and Gann, D.S., Responses of adrenocorticotropin and vasopressin to hemorrhage after lesions of the caudal ventrolateral medulla in rats, 385
Carrigan, D.R., see Fishman, P.S., 275
Carter, D.A. and Lightman, S.L., Modulation of oxytocin secretion by ascending noradrenergic pathways: sexual dimorphism in rats, 313
Cassella, J.V., see Kehne, J.H., 87
Cassidy, M., see Kowalski, M.M., 397
Castro, A.J., see Kosinski, R.J., 302
Chan, Y.S., Cheung, Y.M. and Hwang, J.C., Response characteristics of neurons in the cat vestibular nuclei during slow and constant velocity off-vertical axes rotations in the clockwise and counterclockwise rotations, 294
Cheung, Y.M., see Chan, Y.S., 294
Coggeshall, R.E., see Jenq, C.-B., 52
Cortés, R., see Reubi, J.C., 391
Cowan, W.M., see Boss, B.D., 280
Czudek, C., see Fine A., 326

Davis, J.L. and Pico, R.M., A tripeptide protease inhibitor attenuates conditioned avoidance behavior, 10
Davis, M., see Kehne, J.H., 87
Davison, J.S., see MacVicar, B.A., 130
De Quidt, M., see Fine, A., 326
De Vellis, J., see Aizenman, Y., 32
DeLong, M.R., see Kitt, C.A., 192
Di Fabio, R.P., lower extremity antagonist muscle response following standing perturbation in subjects with cerebrovascular disease, 43
Dluzen, D.E. and Ramirez, V.D., Intermittent infusion of progesterone potentiates whereas continuous infusion reduces amphetamine-stimulated dopamine release from ovariectomized estrogen-primed rat striatal fragments superfused in vitro, 1

Edmonds, B. and Koenig, E., Powering of bulk transport (varicosities) and differential sensitivities of directional transport in growing axons, 288

Fernandez, A., see Stevens, B.R., 113
Fernandez, B., see Tranque, P.A., 348
Fine, A., Pittaway, K., De Quidt, M., Czudek, C. and Reynolds, G.P., Maintenance of cortical somatostatin and monoamine levels in the rat does not require intact cholinergic innervation, 326
Fishman, P.S. and Carrigan, D.R., Retrograde transneuronal transfer of the C-fragment of tetanus toxin, 275
Flood, J.F., see Roberts, E., 357
Furui, T., see Yaksh, T.L., 207

Gann, D.S., see Carlson, D.E., 385
Garcia-Segura, L.M., see Tranque, P.A., 348
Go, V.L.W., see Yaksh, T.L., 207
Goldberg, D.J., see Savage, M.J., 215
Goto, Y., see Shimosegawa, T., 341
Guyenet, P.G. and Young, B.S., Projections of nucleus paragigantocellularis lateralis to locus coeruleus and other structures in rat, 171

Haak, K.A., see Bronstein, D.M., 352
Haga, C., see Uemura, T., 73
Hauser, K.F., MacLusky, N.J. and Toran-Allerand, C.D., Androgen action in fetal mouse spinal cord cultures: metabolic and morphologic aspects, 62
Hexum, T.D. and Russett, L.R., Plasma enkephalin-like peptide response to chronic nicotine infusion in guinea pig, 370
Hidaka, I., see Kanwal, J.S., 105
Hiller, J.M., Itzhak, Y. and Simon, E.J., Selective changes in μ, δ and κ opioid receptor binding in certain limbic regions of the brain in Alzheimer's disease patients, 17
Hirano, S., see Sugaya, E., 270
Hosoya, E., see Sugaya, E., 270
Hwang, J.C., see Chan, Y.S., 294

Iizuka, H., see Iwasaki, Y., 99
Iizuka, S., see Sugaya, E., 270
Inagaki, S., see Kubota, Y., 147
Ishige, A., see Sugaya, E., 270
Itoh, K., see Sugaya, E., 270
Itzhak, Y., see Hiller, J.M., 17
Iwasaki, Y., Yamamoto, H., Iizuka, H., Yamamoto, T. and Konno, H., Suppression of neurofilament degradation by protease inhibitors in experimental spinal cord injury, 99

Jacobs, G.H., see Bronstein, D.M., 352
Jenq, C.-B. and Coggeshall, R.E., Sciatic nerve regeneration after autologous sural nerve transplantation in the rat, 52
Jones, T.A., see Beck, M.M., 93

Kajiwara, K., see Sugaya, E., 270
Kanawati, I.S., see Yaksh, T.L., 207
Kanwal, J.S., Hidaka, I. and Caprio, J., Taste responses to amino acids from facial nerve branches innervating oral and extra-oral taste buds in the channel catfish, *Ictalurus punctatus*, 105
Kehne, J.H., Cassella, J.V., Aghajanian, G.K., Tallman, J.F. and Davis, M., Pertussis toxin or 8-bromo-cAMP block inhibition of the acoustic startle response by the α_2-adrenergic agonist ST-91, 87
Kerrin, J.P., see MacVicar, B.A., 130
Kharouby, M., see Oades, R.D., 136
Kito, S., see Kubota, Y., 147
Kitt, C.A., Mitchell, S.J., DeLong, M.R., Wainer, B.H. and Price, D.L., Fiber pathways of basal forebrain cholinergic neurons in monkeys, 192
Koenig, E., see Edmonds, B., 288
Koizumi, M., see Shimosegawa, T., 341
Komatsubara, J., see Sugaya, E., 270
Kondo, H., see Uemura, T., 73
Konno, H., see Iwasaki, Y., 99
Kosinski, R.J., Neafsey, E.J. and Castro, A.J., Remodeling of dorsal column nuclear efferents to the basilar pontine gray after cortical ablations in newborn rats, 302
Kowalski, M.M., Cassidy, M., Namboodiri, M.A.A. and Neale, J.H., Cellular localization of *N*-acetylaspartylglutamate in amphibian retina and spinal sensory ganglia, 397
Kubota, Y., Inagaki, S., Kito, S. and Wu, J.-Y., Dopaminergic axons directly make synapses with GABAergic neurons in the rat neostriatum, 147

Lacquaniti, F. and Maioli, C., Anticipatory and reflex coactivation of antagonist muscles in catching, 373
Le Moal, M., see Oades, R.D., 136
Lightman, S.L., see Carter, D.A., 313
Lowry, O.H., see Yip, V.S., 157
Luiten, P.G.M., see Wouterlood, F.G., 330
Lytle, L.D., see Bronstein, D.M., 352

MacLusky, N.J., see Hauser, K.F., 62
MacVicar, B.A., Kerrin, J.P. and Davison, J.S., Inhibition of synaptic transmission in the hippocampus by cholecystokinin (CCK) and its antagonism by a CCK analog (CCK_{27-33}), 130
Mahieux, G. and Benabid, A.L., Naloxone-reversible analgesia induced by electrical stimulation of the habenula in the rat, 118
Maioli, C., see Lacquaniti, F., 373
Matsushita, M., see Uemura, T., 73
Matsutani, S., see Uchiyama, H., 322
McGeer, E.G., see Tago, H., 363
McGeer, P.L., see Tago, H., 363
Mitchell, S.J., see Kitt, C.A., 192
Miyazaki, N., see Uemura, T., 73
Moghaddam, B. and Adams, R.N., Regional differences in resting extracellular potassium levels of rat brain, 337
Murphy, V.A., see Rechthand, E., 185

Namboodiri, M.A.A., see Kowalski, M.M., 397
Neafsey, E.J., see Kosinski, R.J., 302
Neale, J.H., see Kowalski, M.M., 397
Neitz, J., see Bronstein, D.M., 352
Nelson, R.J., Activity of monkey primary somatosensory cortical neurons changes prior to active movement, 402

Oades, R.D., Rivet, J.-M., Taghzouti, K., Kharouby, M., Simon, H. and Le Moal, M., Catecholamines and conditioned blocking: effects of ventral tegmental, septal and frontal 6-hydroxydopamine lesions in rats, 136
Ogita, K., see Yoneda, Y., 24
Olmos, G., see Tranque, P.A., 348
Oswald, T. and Riley, D.A., Peripheral nerve carbonic anhydrase activity and chronic acetazolamide treatment of rats, 379

Palacios, J.M., see Reubi, J.C., 391
Pico, R.M., see Davis, J.L., 10
Pittaway, K., see Fine, A., 326
Popejoy, S., see Topple, A., 308
Price, D.L., see Kitt, C.A., 192
Probst, A., see Reubi, J.C., 391
Proudfit, H.K., see Sagen, J., 246
Purvis, R., see Topple, A., 308

Raizada, M., see Stevens, B.R., 113
Ramirez, V.D., see Dluzen, D.E., 1
Rapoport, S.I., see Rechthand, E., 185
Rechthand, E., Murphy, V.A., Wadwhani, K. and Rapoport, S.I., Calcium in rat peripheral nerve during chronic alterations in plasma calcium, 185
Reubi, J.C., Probst, A., Cortés, R. and Palacios, J.M., Distinct topographical localisation of two somatostatin receptor subpopulations in the human cortex, 391
Reynolds, G.P., see Fine, A., 326
Riley, D.A., see Oswald, T., 379
Rivet, J.-M., see Oades, R.D., 136
Roberts, E., Bologa, L., Flood, J.F. and Smith, G.E., Effects of dehydroepiandrosterone and its sulfate on brain tissue in culture and on memory in mice, 357
Russett, L.R., see Hexum, T.D., 370

Sagen, J. and Proudfit, H.K., Release of endogenous monoamines into spinal cord superfusates following the microinjection of phentolamine into the nucleus raphe magnus, 246
Savage, M.J., Goldberg, D.J. and Schacher, S., Absolute specificity for retrograde fast axonal transport displayed by lipid droplets originating in the axon of an identified *Aplysia* neuron in vitro, 215
Schacher, S., see Savage, M.J., 215
Schooneveld, H., Van Herp, F. and Van Minnen, J., Demonstration of substances immunologically related to the identified arthropod neuropeptides AKH/RPCH in the CNS of several invertebrate species, 224
Sekiguchi, K., see Sugaya, E., 270
Shimosegawa, T., Koizumi, M., Toyota, T., Goto, Y., Yanaihara, C. and Yanaihara, N., An immunohistochemical study of methionine-enkephalin-Arg^6-Gly^7-Leu^8-like immunoreactivity-containing neurons in the parasympathetic preganglionic regions of the rat spinal cord, 341
Simon, E.J., see Hiller, J.M., 17
Simon, H., see Oades, R.D., 136
Smith, G.E., see Roberts, E., 357
Smock, T., see Topple, A., 308
Sripanidkulchai, K. and Wyss, J.M., The laminar organization

of efferent neuronal cell bodies in the retrospinal granular cortex, 255
Stanfield, B.B., see Boss, B.D., 280
Stein, E.A., see Trusk, T.C., 238
Steinbusch, H.W.M., see Wouterlood, F.G., 330
Stevens, B.R., Raizada, M., Sumners, C. and Fernandez, A., Dipeptidyl peptidase-II activity in cultured astroglial cells from neonatal rat brain, 113
Suarez, I., see Tranque, P.A., 348
Sugaya, E., Asou, H., Itoh, K., Ishige, A., Sekiguchi, K., Iizuka, S., Sugimoto, A., Aburada, M., Hosoya, E., Takagi, T., Kajiwara, K., Komatsubara, J. and Hirano, S., Characteristics of primary cultured neurons from embryonic mutant E1 mouse cerebral cortex, 270
Sugimoto, A., see Sugaya, E., 270
Sumners, C., see Stevens, B.R., 113

Taghzouti, K., see Oades, R.D., 136
Tago, H., McGeer, P.L. and McGeer, E.G., Acetylcholinesterase fibers and the development of senile plaques, 363
Takagi, T., see Sugaya, E., 270
Tallman, J.F., see Kehne, J.H., 87
Thanos, S., Vidal-Sanz, M. and Aguayo, A.J., The use of rhodamine-B-isothiocyanate (RITC) as an anterograde and retrograde tracer in the adult rat visual system, 317
Topple, A., Purvis, R., Smock, T. and Popejoy, S., Vasoconstriction and neural excitation in response to transient hypoxia in the rat hippocampal slice, 308
Toran-Allerand, C.D., see Hauser, K.F., 62
Toyota, T., see Shimosegawa, T., 341
Tranque, P.A., Suarez, I., Olmos, G., Fernandez, B. and Garcia-Segura, L.M., Estradiol-induced redistribution of glial fibrillary acidic protein immunoreactivity in the rat brain, 348
Trusk, T.C. and Stein, E.A., Effect of intravenous heroin and naloxone on regional cerebral blood flow in the conscious rat, 238
Turlejski, K., see Boss, B.D., 280

Uchiyama, H., Matsutani, S. and Watanabe, M., Activation of the isthmo-optic neurons by the visual Wulst stimulation, 322
Uemura, T., Yamashita, T., Haga, C., Miyazaki, N., Kondo, H. and Matsushita, M., Localization of serotonin-immunoreactivity in the central nervous system of *Octopus vulgaris* by immunohistochemistry, 73

Van Herp, F., see Schooneveld, H., 224
Van Minnen, J., see Schooneveld, H., 224
Vidal-Sanz, M., see Thanos, S., 317

Wadwhani, K., see Rechthand, E., 185
Wainer, B.H., see Kitt, C.A., 192
Watanabe, M., see Uchiyama, H., 322
Werblin, F., see Barnes, S., 233
Woolsey, T.A., see Yip, V.S., 157
Wouterlood, F.G., Steinbusch, H.W.M., Luiten, P.G.M. and Bol, J.G.J.M., Projection from the prefrontal cortex to histaminergic cell groups in the posterior hypothalamic region of the rat. Anterograde tracing with *Phaseolus vulgaris* leucoagglutinin combined with immunocytochemistry of histidine decarboxylase, 330
Wu, J.-Y., see Kubota, Y., 147
Wyss, J.M., see Sripanidkulchai, K., 255

Yaksh, T.L., Furui, T., Kanawati, I.S. and Go, V.L.W., Release of cholecystokinin from rat cerebral cortex in vivo: role of GABA and glutamate receptor systems, 207
Yamamoto, H., see Iwasaki, Y., 99
Yamamoto, T., see Iwasaki, Y., 99
Yamashita, T., see Uemura, T., 73
Yanaihara, C., see Shimosegawa, T., 341
Yanaihara, N., see Shimosegawa, T., 341
Yip, V.S., Zhang, W.-P., Woolsey, T.A. and Lowry, O.H., Quantitative histochemical and microchemical changes in the adult mouse central nervous system after section of the infraorbital and optic nerves, 157
Yoneda, Y. and Ogita, K., Enhancement of [^{3}H]glutamate binding by *N*-methyl-D-aspartic acid in rat adrenal, 24
Young, B.S., see Guyenet, P.G., 171

Zhang, W.-P., see Yip, V.S., 157